



Prices, Sizes, Models, Frame Colours, Materials, Accessories & Installation Options



Parker Masters

in partnership with





Order

In order to avoid any misunderstanding and complications in the process of your order, we ask you to give the following particulars about the parasol required. We recommend you fill in the order form! Please use order form at the back of this document.

	Particulars	E.g. FILIUS with crank drive FK
01	Туре	FILIUS with crank drive FK
02	Size, shape, section	Ø 3.5 m, round, 8 panels
03	Quantity of parasols	2 pieces
04	Colour of frame	RAL 9010 pure white
05	Type of parasol covering material	MayTex-Acryl
06	Colour of covering and colour number	bordeaux SA 314 763
07	Colour and number of edge binding	bordeaux 86
80	with / without valance	without valance
09	Miscellaneous	_
10	Installation options and art. no.	anchor tube DMZ118
11	Quantity of installation options	2 pieces

	Sizes Shape	Sizes Shape	Valance	FILIUS with rope pull FS covering		FILIUS with cove	
				MayTex-Acryl Price £	MayTex-Poly Price £	MayTex-Acryl Price £	MayTex-Poly Price £
211 cm fs 300 cm	Ø 3.0 m	6.4 m²	without	1,162.00	1,096.00	1,319.00	1,253.00
	round	8 panels	with	1,289.00	1,225.00	1,449.00	1,381.00
3/3 cm \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Ø 3.5 m	8.7 m²	without	1,361.00	1,277.00	1,519.00	1,434.00
	round	8 panels	with	1,515.00	1,430.00	1,673.00	1,590.00
370 cm 553	Ø 4.0 m	11.3 m²	without	1,690.00	1,575.00	1,850.00	1,737.00
	round	8 panels	with	1,891.00	1,779.00	2,050.00	1,936.00
150 cm E5 05	1.5 × 1.5 m	2.3 m²	without	1,396.00	1,311.00	1,556.00	1,468.00
	square	4 panels	with	1,583.00	1,501.00	1,743.00	1,658.00
100 cm 500 cm 200 cm	2.0 × 2.0 m square	4.0 m² 8 panels	without with	1,396.00 1,583.00	1,311.00 1,501.00	1,556.00 1,743.00	1,468.00 1,658.00



Delivery contents

- Stringed parasol, ready to use
- Protective sleeve with zipper and aluminium rod, also useful for protection during inclement weather
- Removable stainless steel crank (AISI 304, 1.4301) for FK or rope pull for FS
- Gloves, to protect the covering from getting soiled during unpacking-process
- Without installation options
- With instruction
- With strap
- Supplied in a sturdy cardboard sleeve

On windy locations (upwind, sloping site and so on) additional pedestal weight may be required.

	Sizes Shape	Sizes Shape	Valance	FILIUS with rope pull FS covering		FILIUS with cove	
				MayTex-Acryl Price £	MayTex-Poly Price £	MayTex-Acryl Price £	MayTex-Poly Price £
125 cm	2.5 × 2.5 m square	6.3 m² 8 panels	without with	1,396.00 1,583.00	1,311.00 1,501.00	1,556.00 1,743.00	1,468.00 1,658.00
150 cm	3.0 × 3.0 m square	9.0 m² 8 panels	without with	1,396.00 1,583.00	1,311.00 1,501.00	1,556.00 1,743.00	1,468.00 1,658.00
175 cm & 50 05 cm	3.5 × 3.5 m square	12.3 m² 8 panels	without with	1,630.00 1,749.00	1,546.00 1,662.00	1,789.00 1,908.00	1,706.00 1,819.00
112,5 cm 125,2 cm 225 cm	2.25 × 3.05 m rectangular	6.9 m² 8 panels	without with	1,197.00 1,322.00	1,129.00 1,255.00	1,354.00 1,481.00	1,287.00 1,414.00
200 cm 5 9 400 cm	3.0 × 4.0 m rectangular	12.0 m² 8 panels	without with	1,690.00 1,891.00	1,607.00 1,807.00	1,850.00 2,050.00	1,765.00 1,967.00



	Description	Specifications	Art. no.	Price
				£
	Covering bonnet			131.70
	FILIUS Pagoda in MayTex-Acryl or MayTex-Poly			e on FILIUS 20% (×2.2)
	Printing individual delivery time	see the brochure printing guidelines	200703	See page 56
	Seawater-resistant stainless steel frame joints	aluminium parasol framework	350118	227.00
	Protective sleeve, version zipper and aluminium rod • for an order with a new parasol • as a substitute	Specify parasol size and valance option	 FA130	0.00 104.10
	Rain gutter fabric: MayTex-Poly	price per metre, incl. aluminium rods for stabilization	XA141	84.80
	Rain gutter fabric: MayTex-PVC	price per metre, incl. aluminium rods for stabilization	XA141	93.28
	Holder for • side sheet • rain gutter	price per piece, 1 piece per spoke required 1 eyelet screw 2 eyelet screws	FA14101 FA14102	24.10 25.80
	Length extension of centre pole	Specify length in cm (max. 50 cm)		141.00
	Shortening of centre pole	length on request, depending on size of parasol		141.00
Topological Control of the Control o	Frame paint finish individual lead time	State RAL number. RAL 8019 grey brown and RAL 7016 anthracite grey fine structure without surcharge.		627.00
	Covering made of MayTex-PVC	approx. 480 g/m^2 , only suitable for Ø 3 m, 1.5×1.5 m, 2×2 m and 2.5×2.5 m		e on MayTex- + 10% (×1.1)
	Side sheet	in MayTex-Poly		See extra pricelist
	Impact protection for parasol mast Ø 55 cm	in MayTex-PVC	350267	314.00
	Winter rod for DMZ upper part	length 150 cm RAL 9006	357495	104.50
	CleanoMay 13	1 litre cleaning concentrate	350848	26.10
	Substitute covering			See extra pricelist



Mobile installation options

	Description	Specifications	Art. no.	Price
				£
	Cross pedestal mounted with screws, without slabs		DMZ110	111.70
	Full frame pedestal for 1 set of standar	d concrete slabs		
	Full frame pedestal ⁴⁾ without slabs		DMZ411	341.00
	Full frame pedestal adjustable for slanting surfaces ⁴⁾ with rubber diagonal support levelling screws, without slabs		DMZ412	405.00
1	Full frame pedestal on wheels ⁴⁾ without slabs. Attention, wind-sensitive!	wheel diameter 5 cm	DMZ414	476.00
	Heavy-duty wheels for uneven surfaces, suitable for DMZ414 • for orders with full frame pedestal • for retrofitting	wheel diameter 15 cm loading capacity 110 kg/wheel	351498 351499	253.00 335.00
	Full frame pedestal on feet ⁴⁾ for forklift transport		DMZ420	446.00
	Frame pedestal cover plate fits on DMZ411, DMZ412, DMZ414 and DMZ420 - for retrofitting	stainless steel 1.4301	200905	577.00
	Concrete slabs 1 set = 4 concrete slabs	40 × 40 × 5 cm	XZ40	63.60
	Granite base two parts, round, grey, polished, 4 recessed grips, stainless steel upper anchor tube		DMZ141	340.00



Mobile installation options

Description	Specifications	Art. no.	Price
	Link for instructions and order forms		£
Wheeled pedestal ⁵¹ incl. weights, rubber wheels, stainless steel locking rod, 75 × 75 cm, weight 100 kg	colour anthracite	DMZ282	935.00
Wheeled pedestal ⁵⁾ incl. weights, rubber wheels, stainless steel locking rod, 75 × 75 cm, weight 100 kg	colour graphite	DMZ283	935.00
Free-standing base plate with upper anchor tube DMZ118 ^{21 41}		DMZ271	534.00
Add-on weight plate fits for DMZ271 and DMZ139		351185	424.00
Anti-slip mat fits for DMZ271 and DMZ139	80 × 80 cm	352791	42.00

Full frame pedestal for 1 set of standard concrete slabs

Height Height	Full frame pedestal with upper anchor tube of DMZ118 ^{2] 4]} customized height to fit patio surface	State height of lower part: • bottom edge of frame to top edge of flange Please fill out: may.ag/DMZ208_en.pdf	DMZ208	495.00
Height	Full frame pedestal with placement hinge and upper anchor tube of DMZ150 ¹⁾ customized height to fit patio surface	State height of lower part: • bottom edge of frame to top edge of flange Please fill out: may.ag/DMZ210_en.pdf	DMZ210	712.00

Stationary installation options

Description	Specifications	Art. no.	Price £
 Anchor tube to be embedded			
in concrete ^{2 3 4} 2-part, screw-off upper part		DMZ118	154.00
Drainage unit for DMZ118		357481	24.90
Anchor tube to be embedded in concrete identical with DMZ118	stainless steel V4A (1.4571)	352779	279.00
Anchor tube to be embedded in concrete with placement hinge 12-part, screw-off upper part		DMZ150	382.00
Drainage unit for DMZ150	suitable for DMZ150, RZ118, SZ150, AZ120	357491	25.30
Anchor tube to be embedded in concrete in pre-drilled bore-hole ^{2] 4]} 2-part, screw-off upper part		DMZ146	178.00
Anchor tube with removable upper part (plug-in connection), to be embedded in concrete		DMZ169	344.00
Dowel-anchored plate ^{2] 4]}		DMZ261	227.00
Wall bracket no through bore		DMZ125	169.00
Customized design in depth, dimension x	Please fill out: may.ag/DMZ125_en.pdf		Surcharge + 80.00
 Wall pressure plate for DMZ125 and DMZ170 in combination with threaded rods		200084	62.10



Stationary installation options

	Description	Specifications	Art. no.	Price
		Link for instructions and order forms		£
P	Wall bracket ^{2] 4]} with upper part of DMZ118		DMZ170	283.00
	Customized design in depth, dimension x	Please fill out: may.ag/DMZ170_en.pdf		Surcharge + 80.00
	Corner wall bracket no through bore		DMZ172	195.00
	Customized design in depth, dimension x	Please fill out: may.ag/DMZ172_en.pdf		Surcharge + 80.00
Height	Dowel-anchored plate with upper anchor tube DMZ118 ^{2] 4]} customized height to fit patio surface.	State height of lower part: • bottom edge of anchor plate to top edge of flange Please fill out: may.ag/DMZ129_en.pdf	DMZ129	331.00
Height	Dowel-anchored plate with placement hinge and upper anchor tube DMZ150 11 customized height to fit patio surface.	State height of lower part: • bottom edge of anchor plate to top edge of flange Please fill out: may.ag/DMZ127_en.pdf	DMZ127	647.00
Height	Flat-roof dowel-anchored plate with upper anchor tube DMZ118 ^{2] 4]} for connection with liquid plastic; customized height to fit patio surface.	State height of lower part: • bottom edge of anchor plate to top edge of flange • bottom edge of anchor plate to bottom edge of lower flange Please fill out: may.ag/DMZ186_en.pdf	DMZ186	722.00



Stationary installation options

	Description	Specifications	Art. no.	Price
		Link for instructions and order forms		£
Height	Flat-roof dowel-anchored plate with upper anchor tube DMZ118 ^{2] 4]} loose-and-fixed flange assembly; customized height to fit patio surface.	State height of lower part: • bottom edge of anchor plate to top edge of flange • bottom edge of anchor plate to bottom edge of lower flange Please fill out: may.ag/DMZ194_en.pdf	DMZ194	831.00
1000	Anchor bolts stud bolts with nut, fits for DMZ261, DMZ125, DMZ170, DMZ172, DMZ129, DMZ127, DMZ186 and DMZ194	in stainless steel A4, package of 4 pieces	200900	119.50
	Ground screw anchor fixture ^{2] 4]} upper part only	without ground screw KSF FPM 140x2100-M, to be ordered separately from special retailer	DMZ329	263.00
	Ground screw anchor fixture ^{2] 4]}	including ground screw KSF FPM 140x2100-M	DMZ330	692.00
Height	Base plate with upper anchor tube DMZ118 ^{2] 4]} customized height to fit patio surface.	State height of lower part: • bottom edge of base plate to top edge of flange. Please fill out: may.ag/DMZ139_en.pdf	DMZ139	565.00
	Theft pin ^{6]} padlock and pin for retrofitting	stainless steel, suitable for centre pole Ø 55 mm	200194	47.80
	Padlock keyed alike	stainless steel, 40 mm wide, shackle Ø 7 mm	350063	22.20



Installation options

Footnotes

Suitable for power supply in centre pole. Bore hole \emptyset 5 cm for power supply cable in centre pole. Only possible for FILIUS with rope pull.

2)	Description of option extra length	Specifications	Surcharge plus installation option £
DMZ118 Upper anchor tube, extra length	Upper anchor tube with extra length	+ 10 cm	92.80
20 cm + + 40		+ 20 cm	133.70
+ 10 cm + 20 cm + 20 cm		+ 30 cm	175.00
		+ 40 cm	220.00

DMZ118 Lower anchor tube, extra length + 10 cm 92.80
+ 20 cm 133.70
+ 30 cm 175.00
+ 40 cm 220.00



Installation options

4]	Description of option powder coating	Specifications	Surcharge plus installation option £	
RAL 9010 RAL 9006 RAL 8019 RAL 7016	Upper anchor tube without placement hinge, galvanized with additional powder coating standard length extra length + 10 cm	State colour: RAL 9010 pure white RAL 9006 white aluminium RAL 8019 grey brown RAL 7016 anthracite grey fine structure	48.00	
RAL 9010 RAL 9006 RAL 8019 RAL 7016	extra length + 20 cm			
RAL 9010 RAL 9006 RAL 8019 RAL 7016	extra length + 30 cm			
RAL 9010 RAL 9006 RAL 8019 RAL 7016	extra length + 40 cm			

⁵⁾ Not possible in combination with theft pin 200194.

⁶⁾ Drill and fasten parasol to anchor tube on site, ø 13,5 mm.

Quote Order side-post parasol FILIUS at Parker Masters	Ltd
--	-----

By e-mail to: info@parker-masters.co.uk



Customer Customer-No. < <cust>>></cust>	delivery to end customer				phone	dispatch notification by phone phone no.					
< <name_1>></name_1>					contac	:t					
< <street>></street>							livery ne	te by e-mail	to.		
< <town>></town>							email>>	te by e-mail	. 10		
< <pre><<post_code>></post_code></pre>						end customer					
Reference							u 0u01011				
Your PO no.											
Туре		th rope pull (F th crank (FK)		HATTELLO (SO HATTELLO ec		(SE)	AL	BATROS (AG))		
Segments number of spokes	4	5 [6	8	1	0	12				
Quantity / Size / Shape	piece(s)		meter	round	S	quare	rectar	ngular	triang	ular	
Frame colour	RAL 9010 pure white standard		RAL 7016 anthracite grey FS special colour w/o surcharge		RAL 9006 white aluminium			grey bro	special colour		
Spoke reinforcement	no	[all spok	es	d	diagonal spokes		ALBATRO	ALBATROS	surcharge	
Centre pole extension note ground clearance	no extens	ion [yes, by +20 cm		yes, cm			cm	n		
Fabric	MayTex-A	cryl [MayTex-	-Poly	M	layTex-PV0	0	special			
Fabric colour	no			_	coloui	r					
Edge binding	matching	fabric colour			co	olour and n	10				
Valance	without	[straight spoke to sp		di	ontinuous agonal spoke t	to	special sketch red			
Screen printing see catalogue "Printing Guidelines"	without		with see "Order	form printing"	ui	agonal spoke					
Electrical equipment	kit				p	ower suppl	ly				
	motor not possible in combination with heaters				remote control no.						
Protective sleeve	FILIUS zipper + aluminium rod F				ol with heaters)				r AA022 (incl.) r AA024 (parasol with heaters) le without ring (for multiple parasols) le with ring (one per parasol necessary)		
Installation option	piece(s	article i	າ໐		lescrip	tion				pre-delivery	
Anti-theft pin	piece(s) (inclusive with ALBATROS)										
Accessories										s), side sheet in and colour no.)	

Parker Masters

in partnership with

