

Prices, Sizes, Models, Frame Colours, Materials, Accessories & Installation Options



Parker Masters
BRINGING BRANDS TO LIFE

in partnership with



MEZZO


Order

In order to avoid any misunderstanding and complications in the process of your order, we ask you to give the following particulars about the parasol required. We recommend you fill in the order form at the back of this document.



	Particulars	E. g. MEZZO (MH)	E. g. DACAPO (DK)
01	Туре	MEZZO with height adjustment	DACAPO with crank
02	Size, shape, sections	Ø 3.3 m, round, 10 panels	Ø 3.3 m, round, 10 panels
03	Quantity of parasols	1 piece	1 piece
04	Type of parasol covering material	MayTex-Acryl	MayTex-Poly
05	Colour of covering and colour number	dark blue SA 314 414	ivory 9823
06	Colour and number of edge binding	dark blue 91	ivory 20
07	with / without valance	without valance	with valance
80	Miscellaneous	_	_
09	Installation options and Art. no.	Anchor tube DMZ118	Anchor tube DMZ118
10	Number of installation options	1 piece	1 piece

	approx. sizes	approx. area	Valance	Standard model MG	Made model with adjustable height MH
	shape	sections		Price €	Price €
238 cm	Ø 2.5 m	4.6 m²	without	1,127.00	1,461.00
	round	10 panels	with	1,200.00	1,533.00
285 cm	Ø 3.0 m	6.6 m ²	without	1,235.00	1,526.00
	round	10 panels	with	1,311.00	1,605.00
314 cm	Ø 3.3 m	8.0 m²	without	1,414.00	1,596.00
1) 330 cm	round	10 panels	with	1,494.00	1,678.00
2) 260 cm	2.6 × 2.6 m	6.8 m²	without	1,347.00	1,692.00
	square	8 panels	with	1,385.00	1,742.00
2) 3) 300 cm	2.1 × 3.0 m	6.3 m ²	without	1,317.00	1,533.00
	rectangular	10 panels	with	1,370.00	1,585.00





^{1]} On windy locations (upwind, sloping sites and so on) additional pedestal weight may be required (Do not use granite base; Pedestal DMZ411 requires 2 sets of concrete slabs).
^{2]} The canopy is vaulted, so that the corner spokes are 9 - 18 cm lower than the centre spokes (cf. sketch).
^{3]} Note: The 3 metre-side is the broadside of the parasol (cf. sketch).

DACAPO

Delivery contents

- Stringed parasol, ready to use
- Protective sleeve, also useful for protection during inclement weather.
- Stainless steel crank (except DACAPO DG)
- Without installation options
- With instructions
- With lashing strap
- Supplied in a sturdy rectangular cardboard box









Accessories and Bases

	Description	Specifications	Art. no.	Price €
	Canopy bonnet, 1 bonnet			131.70
	Canopy bonnet, 4 bonnets			527.00
	Protective sleeve, version zipper and aluminium rod • for an order with a new parasol • as a substitute for MEZZO • as a substitute for DACAPO	Specify parasol size, type (MG, MH, DG or DK) and valance option	— MA130 DA130	0.00 104.10 104.10
Technology (Control of the Control o	CleanoMay 13	1 litre cleaning concentrate	350848	26.10
	Substitute covering			see extra pricelist

Mobile installation options

Description	Specifications	Art. no.	Price €
Cross pedestal mounted with screws. without slabs		DMZ110	111.70

Full frame pedestal for 1 set of standard concrete slabs

i dit ii aliie pedestat ioi ii set oi stalidai d colici ete stabs				
B	Full frame pedestal ⁴⁾ without slabs		DMZ411	341.00
	Full frame pedestal adjustable for slanting surfaces ⁴⁾ with rubber diagonal support levelling screws. without slabs		DMZ412	405.00
7	Full frame pedestal on wheels ⁴ without slabs. Attention. wind-sensitive!	wheel diameter 5 cm	DMZ414	476.00
	Heavy-duty wheels for uneven surfaces. suitable for DMZ414 • for orders with full frame pedestal	wheel diameter 15 cm loading capacity 110 kg/wheel	351498	253.00
	for retrofitting		351499	335.00



MEZZO/DACAPO

Mobile installation options

	Description	Specifications	Art. no.	Price €
	Full frame pedestal on feet 4) for forklift transport		DMZ420	446.00
-	Frame pedestal cover plate fits on DMZ411, DMZ412, DMZ414 and DMZ420 for retrofitting	stainless steel (1.4310)	200905	577.00
	Concrete slabs 1 set = 4 concrete slabs	40 × 40 × 5 cm	XZ40	63.60
	Granite base two parts, round, grey, polished, 4 recessed grips, stainless steel anchor tube		DMZ141	340.00
	Wheeled pedestal ⁵¹ incl. weights, rubber wheels, stainless steel locking rod, 75 × 75 cm, weight 100 kg	colour anthracite	DMZ282	935.00
	Wheeled pedestal ⁵¹ incl. weights, rubber wheels, stainless steel locking rod, 75 × 75 cm, weight 100 kg	colour graphite	DMZ283	935.00
	Free-standing base plate with upper anchor tube DMZ118 ^{2] 4]}		DMZ271	534.00
	Add-on weight plate fits for DMZ271 and DMZ139		351185	424.00
	Anti-slip mat fits for DMZ271 and DMZ139	80 × 80 cm	352791	42.00

Full frame pedestal for 1 set of standard concrete slabs

Full frame pedestal with upper tube of DMZ118 ^{2] 4]} customized height to fit patio surface. State height of base: • bottom edge of frame to top edge of flange Please fill out: may.ag/DMZ208_en.pdf DMZ208 495.00	
--	--



Stationary installation options

	Description	Specifications	Art. no.	Price €
	Anchor tube to be embedded in concrete ^{2] 3] 4]} 2-part, screw-off upper part		DMZ118	154.00
	Drainage unit for DMZ118		357481	24.90
	Anchor tube to be embedded in concrete identical with DMZ118	stainless steel V4A (1.4571)	352779	279.00
	Anchor tube to be embedded in concrete in pre-drilled bore-hole ^{2] 4]} 2-part, screw-off upper part		DMZ146	178.00
	Anchor tube with removable upper part (plug-in connection), to be embedded in concrete		DMZ169	344.00
	Dowel-anchored plate ^{2] 4]}		DMZ261	227.00
	Wall bracket no through bore		DMZ125	169.00
	Wall pressure plate for DMZ125 and DMZ170 in combination with threaded rods		200084	62.10
	Wall bracket ^{2) 4)} with upper tube of DMZ118		DMZ170	283.00
	Corner wall bracket no through bore		DMZ172	195.00
Height	Dowel-anchored plate with upper tube DMZ118 ^{2] 4]} customized height to fit patio surface.	State height of base: • bottom edge of anchor plate to top edge of flange Please fill out: may.ag/DMZ129_en.pdf	DMZ129	331.00




MEZZO/DACAPO

Stationary installation options

	Description	Specifications	Art. no.	Price €
Height	Flat-roof dowel-anchored plate with upper anchor tube DMZ118 ^{2] 4]} for connection with liquid plastic; customized height to fit patio surface.	State height of base: • bottom edge of anchor plate to top edge of flange • bottom edge of anchor plate to bottom edge of flange Please fill out: may.ag/DMZ186_en.pdf	DMZ186	722.00
Height Height	Flat-roof dowel-anchored plate with upper anchor tube DMZ118 ^{21 41} loose-and-fixed flange assembly; customized height to fit patio surface.	State height of base: • bottom edge of anchor plate to top edge of flange • bottom edge of anchor plate to bottom edge of flange Please fill out: may.ag/DMZ194.pdf	DMZ194	831.00
	Anchor bolt stud bolt with nut, fits for DMZ261, DMZ125, DMZ170, DMZ172, DMZ129, DMZ186 and DMZ194	in stainless steel A4, package of 4 pieces	200900	119.50
	Ground screw anchor fixture ^{2] 4]} only anchor tube	without Krinner- ground screw KSF F 140x2100-M to be ordered seperately from special retailer	DMZ329	263.00
	Ground screw anchor fixture ^{2] 4]}	including ground screw KSF F 140x2100-M	DMZ330	692.00
Height	Base pedestal with upper anchor tube DMZ118 ^{2] 4]} customized height to fit patio surface.	State height of base: • bottom edge of anchor plate to top edge of flange Please fill out: may.ag/DMZ139_en.pdf	DMZ139	565.00
	—.			1
	Theft pin ⁶⁾ padlock and pin for retrofitting	stainless steel, suitable for centre pole Ø 55 mm	200194	47.80
	Padlock keyed alike	stainless steel, 40 mm wide, shackle Ø 7 mm	350063	22.20

Description of the options	Specifications	Surcharge plus installation options €
Extra length		
Upper anchor tube with extra length	+ 10 cm	92.80
	+ 20 cm	133.70
	+ 30 cm	175.00
	+ 40 cm	220.00
	of the options Extra length Upper anchor tube with extra	Extra length Upper anchor tube with extra length + 10 cm + 20 cm + 30 cm



Lower anchor tube with extra length	+ 10 cm	92,80
	+ 20 cm	133,70
	+ 30 cm	175,00
	+ 40 cm	220,00

Powder coating in white aluminium RAL 9006

+10 cm +20 cm +30 cm

DMZ118 upper anchor tube, standard and extra length

hinge, powder coated for standard lengths and overlengths	48.00

⁵⁾ Not possible in combination with theft pin 200194.

Please feel free to contact us for additional information.

Upper part without placement

 $^{^{6]}}$ Drill and fasten parasol to anchor tube on site, Ø 13.5 mm.

Quote		Order side-post parasol MEZZO / DACAPO at Parker Masters Lt
-------	--	---

By e-mail to: info@parker-masters.co.uk



Customer		delivery to end customer		dispatch notification by phone			
Customer-No. < <cust>> -<<no -<="" th=""><th></th><th></th><th>phone no.</th><th></th></no></cust>				phone no.			
				contact			
				delivery note by e-mail to			
< <county>></county>				<pre><<email>></email></pre>			
				end customer			
- post_coder							
Reference							
v 5 0							
Your PO no.							
Туре	MEZZO stan	dard model (MG)	□ DAC	APO standard model (DG)			
		height adjustment (MH)		APO with crank (DK)			
	_	•	_				
Quantity / Size / Shape	piece(s)	meter rou	nd sq	uare rectangle o	val only DACAPO		
.							
Frame anodized in EV1							
spokes powder coated in Protective cover is inclu							
1 Totective cover is inclu	ded Wileli ol'dellii	y a parasot					
Fabric	MavTex-Acr	MayTex-Acryl MayTex-Poly spe		pecial			
Fabric colour no.		colo		olour			
Edge binding	matching fal	matching fabric colour		colour and no.			
	sket						
Valance				special sketch required			
Installation option				description pre-delive			
matattation option	piece(3)	piece(s) ai ticte no.			pre delivery		
Anti-theft pin	piece(s)						
not in combination with mobile s	stand DMZ282/283						
Accessories	e. g. canopy bon	net					
Date, place		Name in capital letters		Signature			

Parker Masters

BRINGING BRANDS TO LIFE

in partnership with

